09/500,555

Filed:

February 9, 2000

Listing of claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (canceled)

- 2. (**previously presented**) The array composition according to claim 52, 55 or 57, wherein at least one of said subpopulations comprises a unique optical signature.
- 3. (**previously presented**) The array composition according to claim 52, 55 or 57, wherein each subpopulation comprises an identifier binding ligand that will bind a decoder binding ligand for identification and elucidation of said bioactive agent.
- 4. (**previously presented**) The array composition according to claim 52, 55 or 57, wherein said substrate is a fiber optic bundle and said fiducial is a fiducial fiber.
- 5. (**previously presented**) The array composition according to claim 4 wherein said substrate is a fiber optic bundle, said array comprises at least three non-linear fiducials, and each of said fiducials is a fiducial fiber.
- 6. (**previously presented**) The array composition according to claim 5 wherein at least one of said fiducial fibers has a different shape from the others.
- 7. (canceled)
- 8. (canceled)
- 9. (**previously presented**) The array composition according to claim 52, 55 or 57, wherein said bioactive agents are nucleic acids.
- 10. (**previously presented**) The array composition according to claim 52, 55 or 57, wherein said bioactive agents are proteins.
- 11. (**previously presented**) The array composition according to claim 52, 55 or 57, further comprising a computer readable memory comprising:
 - a) computer code that receives a first data image; and

09/500,555

Filed:

February 9, 2000

b) computer code that registers said first data image using said fiducial to generate a first registered data image.

- 12. (previously presented) The array composition according to claim 11 wherein said computer readable memory further comprises:
 - a) computer code that receives a second data image;
 - b) computer code that registers said second data image using said fiducial to generate a second registered data image; and
 - c) computer code that compares said first and said second data image.

Claims 13-17. (withdrawn)

18. (canceled)

- 19. (**previously presented**) The method according to claim 60, 63 or 65, wherein said subpopulations further comprise an identifier binding ligand that will bind a decoder binding ligand for identification and elucidation of the bioactive agent.
- 20. (**previously presented**) The method according to claim 60, 63 or 65, wherein at least one of said subpopulations further comprise an optical signature for identification and elucidation of the bioactive agent.
- 21. (**previously presented**) The method according to claim 60, 63 or 65, wherein said substrate is a fiber optic bundle and said fiducial is a fiducial fiber.
- 22. (**previously presented**) The method according to claim 21, wherein said substrate is a fiber optic bundle, said array comprises at least three non-linear fiducials, and each of said fiducials is a fiducial fiber.
- 23. (**previously presented**) The method according to claim 22 wherein at least one of said fiducial fibers has a different shape from the others.
- 24. (canceled)
- 25. (canceled)
- 26. (**previously presented**) The method according to claim 60, 63 or 65, wherein said bioactive agents are nucleic acids.

09/500,555

Filed:

February 9, 2000

27. (**previously presented**) The method according to claim 60, 63 or 65, wherein said bioactive agents are proteins.

Claims 28-43. (withdrawn)

- 44. (**previously presented**) The composition according to claim 52, 55 or 57, wherein said discrete sites are wells.
- 45. (**previously presented**) The composition according to claim 52, 55 or 57, wherein said microspheres are randomly distributed on said substrate.
- 46. (**previously presented**) The method according to claim 60, 63 or 65, wherein said discrete sites are wells.
- 47. (**previously presented**) The method according to claim 60, 63 or 65, wherein said microspheres are randomly distributed on said substrate.
- 48. (**previously presented**) The method according to claim 19, wherein said identifier binding ligand is a protein.
- 49. (**previously presented**) The method according to claim 19, wherein identifier binding ligand is a nucleic acid.
- 50. (**previously presented**) The composition according to claim 3, wherein said identifier binding ligand is a protein.
- 51. (**previously presented**) The array composition according to claim 3, wherein identifier binding ligand is a nucleic acid.
- 52. (previously presented) An array composition comprising:
 - a) a substrate with a surface comprising discrete sites;
 - b) a population of microspheres comprising at least a first and a second subpopulation, wherein each subpopulation comprises a bioactive agent, wherein said microspheres are distributed on said surface; and
- c) at least one fiducial, wherein said fiducial is permanently incorporated into said substrate.
- 53. (**previously presented**) The array composition according to claim 52, wherein said fiducial is on the periphery of said array.

1125603_1

09/500,555

Filed:

February 9, 2000

54. (**previously presented**) The array composition according to claim 53, wherein said fiducial is at a defined location of said array.

- 55. (previously presented) An array composition comprising:
 - a) a substrate with a surface comprising discrete sites;
 - b) a population of microspheres comprising at least a first and a second subpopulation, wherein each subpopulation comprises a bioactive agent, wherein said microspheres are distributed on said surface; and
 - c) at least one fiducial, wherein said fiducial is on the periphery of said array.
- 56. (**previously presented**) The array composition according to claim 55, wherein said fiducial is at a defined location of said array.
- 57. (previously presented) An array composition comprising:
 - a) a substrate with a surface comprising discrete sites;
 - b) a population of microspheres comprising at least a first and a second subpopulation, wherein each subpopulation comprises a bioactive agent, wherein said microspheres are distributed on said surface; and
 - c) at least one fiducial, wherein said fiducial is at a defined location of said array.
- 58. (**previously presented**) The array composition according to claim 57, wherein said fiducial is permanently incorporated into said substrate.
- 59. (**previously presented**) The array composition according to claim 52, 55 or 57, wherein said substrate is a fiber optic bundle.
- 60. (previously presented) A method of making an array composition comprising:
 - a) forming a surface comprising individual sites on a substrate;
 - b) distributing microspheres on said surface such that said individual sites contain microspheres, wherein said microspheres comprise at least a first and a second subpopulations each comprising a bioactive agent; and
 - c) permanently incorporating at least one fiducial onto said surface.
- 61. (**previously presented**) The method according to claim 60, wherein said fiducial is on the periphery of said array.
- 62. (**previously presented**) The method according to claim 61, wherein said fiducial is at a defined location of said array.

09/500,555

Filed:

February 9, 2000

- 63. (previously presented) A method of making an array composition comprising:
 - a) forming a surface comprising individual sites on a substrate;
 - b) distributing microspheres on said surface such that said individual sites contain microspheres, wherein said microspheres comprise at least a first and a second subpopulations each comprising a bioactive agent; and
- c) incorporating at least one fiducial onto said surface, wherein said fiducial is on the periphery of said array.
- 64. (**previously presented**) The method according to claim 63, wherein said fiducial is at a defined location of said array.
- · 65. (previously presented) A method of making an array composition comprising:
 - a) forming a surface comprising individual sites on a substrate;
 - b) distributing microspheres on said surface such that said individual sites contain microspheres, wherein said microspheres comprise at least a first and a second subpopulations each comprising a bioactive agent; and
 - c) incorporating at least one fiducial onto said surface, wherein said fiducial is at a defined location of said array.
 - 66. (**previously presented**) The method according to claim 64, wherein said fiducial is permanently incorporated into said array.
 - 67. (**previously presented**) The method according to claim 60, 63 or 65, wherein said substrate is a fiber optic bundle.